



# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 01/12/2025 Revision date: 07/11/2025 Supersedes version of: 27/08/2024 Version: 2.3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Supercut  
UFI : 994Y-W84X-Y00J-ERVF  
Product code : BDS002174BU

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Use of the substance/mixture : lubricants

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

CRC Industries Europe B.V.  
Touwslagerstraat 1  
9240 Zele  
Belgium  
T +32(0)52/45.60.11, F +32(0)52/45.00.34  
[hse@crcind.com](mailto:hse@crcind.com), [www.crcind.com](http://www.crcind.com)

#### 1.4. Emergency telephone number

Emergency number : +32(0)52/45.60.11  
Office hours: 9-17h CET

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Contains

: Polysulfides, di-tert-dodecyl; Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts; Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction.

Precautionary statements (CLP)

: P261 - Avoid breathing vapours/spray.  
P280 - Wear protective gloves/eye protection.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P501 - Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

| Name                                                                                  | Product identifier                                                                                   | %      | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                                                                   |
|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (Note L) | CAS-No.: 64742-54-7<br>EC-No.: 265-157-1<br>EC Index-No.: 649-467-00-8<br>REACH-no: 01-2119484627-25 | 5 – 10 | Asp. Tox. 1, H304                                                                                                                                                 |
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (Note L) | CAS-No.: 64742-55-8<br>EC-No.: 265-158-7<br>EC Index-No.: 649-468-00-3<br>REACH-no: 01-2119487077-29 | 1 – 5  | Asp. Tox. 1, H304                                                                                                                                                 |
| Polysulfides, di-tert-dodecyl                                                         | CAS-No.: 68425-15-0<br>EC-No.: 270-335-7<br>REACH-no: 01-2119540516-41                               | 1 – 5  | Skin Sens. 1, H317                                                                                                                                                |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts                             | CAS-No.: 68584-23-6<br>EC-No.: 271-529-4<br>REACH-no: 01-2119492627-25                               | < 2,5  | Skin Sens. 1B, H317                                                                                                                                               |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts                        | CAS-No.: 70024-69-0<br>EC-No.: 274-263-7<br>REACH-no: 01-2119492616-28                               | < 1    | Skin Sens. 1, H317                                                                                                                                                |
| 2,2'-(octadec-9-enylimino)bisethanol                                                  | CAS-No.: 25307-17-9<br>EC-No.: 246-807-3<br>REACH-no: 01-2119510876-35                               | < 0,1  | Acute Tox. 4 (Oral), H302 (ATE=1260 mg/kg bodyweight)<br>Skin Corr. 1, H314<br>Eye Dam. 1, H318<br>Aquatic Acute 1, H400 (M=10)<br>Aquatic Chronic 1, H410 (M=10) |

#### Specific concentration limits:

| Name                                                      | Product identifier                                                     | Specific concentration limits (%)       |
|-----------------------------------------------------------|------------------------------------------------------------------------|-----------------------------------------|
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts | CAS-No.: 68584-23-6<br>EC-No.: 271-529-4<br>REACH-no: 01-2119492627-25 | (10 $\leq$ C < 100) Skin Sens. 1B; H317 |

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |                                                                                                                                                                                   |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop, get medical attention.                                                                |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Seek medical attention if irritation develops. |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution. Seek medical attention if irritation develops.                                                                                           |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.                                                                                                                            |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |                                        |
|-------------------------------------|----------------------------------------|
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
|-------------------------------------|----------------------------------------|

#### 4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |                                                  |
|--------------------------------|--------------------------------------------------|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.               |

#### 5.2. Special hazards arising from the substance or mixture

|                                                  |                                                         |
|--------------------------------------------------|---------------------------------------------------------|
| Hazardous decomposition products in case of fire | : During fire, gases hazardous to health may be formed. |
|--------------------------------------------------|---------------------------------------------------------|

#### 5.3. Advice for firefighters

|                                |                                                                                                                                                                      |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Firefighting instructions      | : Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.                             |

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

|                      |                                                                                                                |
|----------------------|----------------------------------------------------------------------------------------------------------------|
| Protective equipment | : Wear appropriate protective equipment and clothing during clean-up.                                          |
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. |

##### For emergency responders

|                      |                                                                                                                                                             |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Evacuate unnecessary personnel. Ventilate area.                                                                                                           |

#### 6.2. Environmental precautions

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.3. Methods and material for containment and cleaning up

|                                   |                                                                                                                                                                                                                                                                                    |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methods for cleaning up           | : For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to remove residual contamination. |
| Additional Regulatory Information | : Dispose of materials or solid residues at an authorized site.                                                                                                                                                                                                                    |

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.4. Reference to other sections

For disposal of contaminated materials refer to section 13 : "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                               |                                                                                                                                                                                                                                                                           |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautions for safe handling | : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good industrial hygiene and safety procedures. |
| Hygiene measures              | : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.                                                       |

### 7.2. Conditions for safe storage, including any incompatibilities

|                    |                                                                                       |
|--------------------|---------------------------------------------------------------------------------------|
| Storage conditions | : Store in a well-ventilated place. Keep cool. Keep container closed when not in use. |
|--------------------|---------------------------------------------------------------------------------------|

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL and PNEC

| Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8) |                           |
|-------------------------------------------------------------------------------------------|---------------------------|
| DNEL/DMEL (Workers)                                                                       |                           |
| Long-term - systemic effects, dermal                                                      | 0,97 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation                                                  | 2,73 mg/m³                |
| Long-term - local effects, inhalation                                                     | 5,58 mg/m³                |
| DNEL/DMEL (General population)                                                            |                           |
| Long-term - systemic effects,oral                                                         | 0,74 mg/kg bodyweight/day |
| PNEC (Oral)                                                                               |                           |
| PNEC oral (secondary poisoning)                                                           | 9,33 mg/kg food           |
| Polysulfides, di-tert-dodecyl (68425-15-0)                                                |                           |
| PNEC (Sediment)                                                                           |                           |
| PNEC sediment (freshwater)                                                                | 3,85 mg/kg dwt            |
| PNEC sediment (marine water)                                                              | 0,385 mg/kg dwt           |
| PNEC (Oral)                                                                               |                           |
| PNEC oral (secondary poisoning)                                                           | 66,7 mg/kg food           |
| PNEC (STP)                                                                                |                           |
| PNEC sewage treatment plant                                                               | 1 g/l                     |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)               |                           |
| DNEL/DMEL (Workers)                                                                       |                           |
| Long-term - systemic effects, dermal                                                      | 3,33 mg/kg bodyweight/day |
| Long-term - local effects, dermal                                                         | 1,03 mg/cm²               |

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) |                             |
|-----------------------------------------------------------------------------|-----------------------------|
| Long-term - systemic effects, inhalation                                    | 11,75 mg/m³                 |
| <b>DNEL/DMEL (General population)</b>                                       |                             |
| Long-term - systemic effects, oral                                          | 0,8333 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation                                    | 2,9 mg/m³                   |
| Long-term - systemic effects, dermal                                        | 1,667 mg/kg bodyweight/day  |
| Long-term - local effects, dermal                                           | 0,513 mg/cm²                |
| <b>PNEC (Water)</b>                                                         |                             |
| PNEC aqua (freshwater)                                                      | 1 mg/l                      |
| PNEC aqua (marine water)                                                    | 1 mg/l                      |
| PNEC aqua (intermittent, freshwater)                                        | 10 mg/l                     |
| <b>PNEC (Sediment)</b>                                                      |                             |
| PNEC sediment (freshwater)                                                  | 226000000 mg/kg dwt         |
| PNEC sediment (marine water)                                                | 226000000 mg/kg dwt         |
| <b>PNEC (Soil)</b>                                                          |                             |
| PNEC soil                                                                   | 271000000 mg/kg dwt         |
| <b>PNEC (Oral)</b>                                                          |                             |
| PNEC oral (secondary poisoning)                                             | 16,667 mg/kg food           |
| <b>PNEC (STP)</b>                                                           |                             |
| PNEC sewage treatment plant                                                 | 1000 mg/l                   |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)      |                             |
| <b>DNEL/DMEL (Workers)</b>                                                  |                             |
| Long-term - systemic effects, dermal                                        | 3,33 mg/kg bodyweight/day   |
| Long-term - local effects, dermal                                           | 1,03 mg/cm²                 |
| Long-term - systemic effects, inhalation                                    | 11,75 mg/m³                 |
| <b>DNEL/DMEL (General population)</b>                                       |                             |
| Long-term - systemic effects, oral                                          | 0,8333 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation                                    | 2,9 mg/m³                   |
| Long-term - systemic effects, dermal                                        | 1667 mg/kg bodyweight/day   |
| Long-term - local effects, dermal                                           | 0,513 mg/cm²                |
| <b>PNEC (Water)</b>                                                         |                             |
| PNEC aqua (freshwater)                                                      | 1 mg/l                      |
| PNEC aqua (marine water)                                                    | 1 mg/l                      |
| PNEC aqua (intermittent, freshwater)                                        | 10 mg/l                     |
| <b>PNEC (Sediment)</b>                                                      |                             |
| PNEC sediment (freshwater)                                                  | 226000000 mg/kg dwt         |
| PNEC sediment (marine water)                                                | 226000000 mg/kg dwt         |
| <b>PNEC (Soil)</b>                                                          |                             |
| PNEC soil                                                                   | 271000000 mg/kg dwt         |

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                                                                                  |                           |
|--------------------------------------------------------------------------------------------------|---------------------------|
| <b>Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)</b>                    |                           |
| <b>PNEC (Oral)</b>                                                                               |                           |
| PNEC oral (secondary poisoning)                                                                  | 16667 mg/kg food          |
| <b>PNEC (STP)</b>                                                                                |                           |
| PNEC sewage treatment plant                                                                      | 1000 mg/l                 |
| <b>Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)</b> |                           |
| <b>DNEL/DMEL (Workers)</b>                                                                       |                           |
| Long-term - systemic effects, dermal                                                             | 0,97 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation                                                         | 2,73 mg/m³                |
| Long-term - local effects, inhalation                                                            | 5,58 mg/m³                |
| <b>DNEL/DMEL (General population)</b>                                                            |                           |
| Long-term - systemic effects,oral                                                                | 0,74 mg/kg bodyweight/day |
| <b>PNEC (Oral)</b>                                                                               |                           |
| PNEC oral (secondary poisoning)                                                                  | 9,33 mg/kg food           |
| <b>2,2'-(octadec-9-enylimino)bisethanol (25307-17-9)</b>                                         |                           |
| <b>DNEL/DMEL (Workers)</b>                                                                       |                           |
| Long-term - systemic effects, dermal                                                             | 0,42 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation                                                         | 2,96 mg/m³                |
| <b>DNEL/DMEL (General population)</b>                                                            |                           |
| Long-term - systemic effects,oral                                                                | 0,15 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation                                                         | 0,522 mg/m³               |
| Long-term - systemic effects, dermal                                                             | 0,15 mg/kg bodyweight/day |
| <b>PNEC (Water)</b>                                                                              |                           |
| PNEC aqua (freshwater)                                                                           | 0,214 µg/l                |
| PNEC aqua (marine water)                                                                         | 0,0214 µg/l               |
| PNEC aqua (intermittent, freshwater)                                                             | 0,87 µg/l                 |
| <b>PNEC (Sediment)</b>                                                                           |                           |
| PNEC sediment (freshwater)                                                                       | 1,692 mg/kg dwt           |
| PNEC sediment (marine water)                                                                     | 0,1692 mg/kg dwt          |
| <b>PNEC (Soil)</b>                                                                               |                           |
| PNEC soil                                                                                        | 5 mg/kg dwt               |
| <b>PNEC (Oral)</b>                                                                               |                           |
| PNEC oral (secondary poisoning)                                                                  | 2 mg/kg food              |
| <b>PNEC (STP)</b>                                                                                |                           |
| PNEC sewage treatment plant                                                                      | 1500 µg/l                 |

## 8.2. Exposure controls

### Appropriate engineering controls

#### Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Personal protection equipment

Personal protective equipment symbol(s):



### Eye and face protection

#### Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

### Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Neoprene or nitrile rubber gloves. Layer thickness : > 0,10 mm.

### Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: A

### Thermal hazards

#### Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                 |                                     |
|-------------------------------------------------|-------------------------------------|
| Physical state                                  | : Liquid                            |
| Colour                                          | : Amber.                            |
| Appearance                                      | : Viscous liquid.                   |
| Odour                                           | : Characteristic.                   |
| Odour threshold                                 | : Not available                     |
| Melting point                                   | : Not applicable                    |
| Freezing point                                  | : Not available                     |
| Boiling point                                   | : Not available                     |
| Flammability                                    | : Non flammable.                    |
| Lower explosion limit                           | : Not available                     |
| Upper explosion limit                           | : Not available                     |
| Flash point                                     | : 170 °C Open cup                   |
| Auto-ignition temperature                       | : Not available                     |
| Decomposition temperature                       | : Not available                     |
| pH                                              | : Not applicable                    |
| Viscosity, kinematic                            | : 26,27 mm <sup>2</sup> /s at 40 °C |
| Viscosity, dynamic                              | : 23,09 mPa·s at 40 °C              |
| Solubility                                      | : Insoluble in water.               |
| Partition coefficient n-octanol/water (Log Kow) | : Not applicable                    |
| Vapour pressure                                 | : Not available                     |
| Vapour pressure at 50°C                         | : Not available                     |
| Density                                         | : 0,879 g/cm <sup>3</sup> at 20 °C  |
| Relative density                                | : 0,88 at 20 °C                     |
| Relative vapour density at 20°C                 | : Not available                     |
| Particle characteristics                        | : Not applicable                    |

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2. Additional Regulatory Information

#### Other safety characteristics

VOC content : 0 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Avoid temperatures exceeding the flash point.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |                                                                                     |
|-----------------------------|-------------------------------------------------------------------------------------|
| Acute toxicity (oral)       | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (dermal)     | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (inhalation) | : Not classified (Based on available data, the classification criteria are not met) |

#### Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8)

|                    |                         |
|--------------------|-------------------------|
| LD50 oral rat      | > 5000 mg/kg bodyweight |
| LD50 dermal rabbit | > 2000 mg/kg            |

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

|                       |                         |
|-----------------------|-------------------------|
| LD50 oral rat         | > 5000 mg/kg bodyweight |
| LD50 dermal rabbit    | > 5000 mg/kg bodyweight |
| LC50 Inhalation - Rat | > 1,9 mg/l/4h           |

#### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)

|                    |                          |
|--------------------|--------------------------|
| LD50 oral rat      | > 16000 mg/kg bodyweight |
| LD50 dermal rabbit | > 5000 mg/kg             |

#### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)

|                    |                         |
|--------------------|-------------------------|
| LD50 oral rat      | > 5000 mg/kg bodyweight |
| LD50 dermal rabbit | > 5000 mg/kg            |

#### 2,2'-(octadec-9-enylimino)bisethanol (25307-17-9)

|               |            |
|---------------|------------|
| LD50 oral rat | 1260 mg/kg |
|---------------|------------|

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**Skin corrosion/irritation** : Not classified (Based on available data, the classification criteria are not met)  
pH: Not applicable

### Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8)

|                           |                                                                                   |
|---------------------------|-----------------------------------------------------------------------------------|
| Skin corrosion/irritation | Not classified (Based on available data, the classification criteria are not met) |
|---------------------------|-----------------------------------------------------------------------------------|

### Polysulfides, di-tert-dodecyl (68425-15-0)

|                           |                                                                                   |
|---------------------------|-----------------------------------------------------------------------------------|
| Skin corrosion/irritation | Not classified (Based on available data, the classification criteria are not met) |
|---------------------------|-----------------------------------------------------------------------------------|

### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

|                           |                                                                                   |
|---------------------------|-----------------------------------------------------------------------------------|
| Skin corrosion/irritation | Not classified (Based on available data, the classification criteria are not met) |
| pH                        | 8,1                                                                               |

### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)

|                           |                                                                                   |
|---------------------------|-----------------------------------------------------------------------------------|
| Skin corrosion/irritation | Not classified (Based on available data, the classification criteria are not met) |
|---------------------------|-----------------------------------------------------------------------------------|

### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)

|                           |                                                                                   |
|---------------------------|-----------------------------------------------------------------------------------|
| Skin corrosion/irritation | Not classified (Based on available data, the classification criteria are not met) |
|---------------------------|-----------------------------------------------------------------------------------|

### 2,2'-(octadec-9-enylimino)bisethanol (25307-17-9)

|                           |                           |
|---------------------------|---------------------------|
| Skin corrosion/irritation | Causes severe skin burns. |
|---------------------------|---------------------------|

**Serious eye damage/irritation** : Not classified (Based on available data, the classification criteria are not met)  
pH: Not applicable

### Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8)

|                               |                                                                                   |
|-------------------------------|-----------------------------------------------------------------------------------|
| Serious eye damage/irritation | Not classified (Based on available data, the classification criteria are not met) |
|-------------------------------|-----------------------------------------------------------------------------------|

### Polysulfides, di-tert-dodecyl (68425-15-0)

|                               |                                                                                   |
|-------------------------------|-----------------------------------------------------------------------------------|
| Serious eye damage/irritation | Not classified (Based on available data, the classification criteria are not met) |
|-------------------------------|-----------------------------------------------------------------------------------|

### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

|                               |                                                                                   |
|-------------------------------|-----------------------------------------------------------------------------------|
| Serious eye damage/irritation | Not classified (Based on available data, the classification criteria are not met) |
| pH                            | 8,1                                                                               |

### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)

|                               |                                                                                   |
|-------------------------------|-----------------------------------------------------------------------------------|
| Serious eye damage/irritation | Not classified (Based on available data, the classification criteria are not met) |
|-------------------------------|-----------------------------------------------------------------------------------|

### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)

|                               |                                                                                   |
|-------------------------------|-----------------------------------------------------------------------------------|
| Serious eye damage/irritation | Not classified (Based on available data, the classification criteria are not met) |
|-------------------------------|-----------------------------------------------------------------------------------|

### 2,2'-(octadec-9-enylimino)bisethanol (25307-17-9)

|                               |                            |
|-------------------------------|----------------------------|
| Serious eye damage/irritation | Causes serious eye damage. |
|-------------------------------|----------------------------|

**Respiratory or skin sensitisation** : May cause an allergic skin reaction.  
**Germ cell mutagenicity** : Not classified (Based on available data, the classification criteria are not met)  
**Carcinogenicity** : Not classified (Based on available data, the classification criteria are not met)  
**Reproductive toxicity** : Not classified (Based on available data, the classification criteria are not met)  
**STOT-single exposure** : Not classified (Based on available data, the classification criteria are not met)  
**STOT-repeated exposure** : Not classified (Based on available data, the classification criteria are not met)

### Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8)

|                                                  |                      |
|--------------------------------------------------|----------------------|
| LOAEL (oral, rat, 90 days)                       | 125 mg/kg bodyweight |
| NOAEC (inhalation, rat, dust/mist/fume, 90 days) | > 0,98 mg/l air      |

### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

|                            |                                         |
|----------------------------|-----------------------------------------|
| NOAEL (oral, rat, 90 days) | 500 mg/kg bodyweight OECD Guideline 407 |
|----------------------------|-----------------------------------------|

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

|                                     |                                            |
|-------------------------------------|--------------------------------------------|
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg bodyweight OECD Guideline 410 |
|-------------------------------------|--------------------------------------------|

### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)

|                                     |                         |
|-------------------------------------|-------------------------|
| NOAEL (oral, rat, 90 days)          | 500 mg/kg bodyweight    |
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg bodyweight |

### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)

|                            |                      |
|----------------------------|----------------------|
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight |
|----------------------------|----------------------|

**Aspiration hazard** : Not classified (Based on available data, the classification criteria are not met)

### Supercut

|                      |                                   |
|----------------------|-----------------------------------|
| Viscosity, kinematic | 26,27 mm <sup>2</sup> /s at 40 °C |
|----------------------|-----------------------------------|

## 11.2. Information on other hazards

### Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

### Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8)

|                      |             |
|----------------------|-------------|
| LC50 - Fish [1]      | > 5000 mg/l |
| EC50 - Crustacea [1] | > 1000 mg/l |

### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

|                      |                                             |
|----------------------|---------------------------------------------|
| LC50 - Fish [1]      | > 1000 mg/l Cyprinodon variegatus           |
| EC50 - Crustacea [1] | > 1000 mg/l Daphnia magna                   |
| EC50 72h - Algae [1] | > 1000 mg/l Pseudokirchneriella subcapitata |

### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)

|                      |             |
|----------------------|-------------|
| LC50 - Fish [1]      | 10000 mg/l  |
| EC50 72h - Algae [1] | > 1000 mg/l |
| EC50 96h - Algae [1] | > 1000 mg/l |

### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)

|                      |             |
|----------------------|-------------|
| EC50 - Crustacea [1] | > 1000 mg/l |
| EC50 96h - Algae [1] | > 1000 mg/l |

### 2,2'-(octadec-9-enylimino)bisethanol (25307-17-9)

|                 |                      |
|-----------------|----------------------|
| LC50 - Fish [1] | 0,1 mg/l Danio rerio |
|-----------------|----------------------|

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2,2'-(octadec-9-enylimino)bisethanol (25307-17-9)

|                      |                                             |
|----------------------|---------------------------------------------|
| EC50 - Crustacea [1] | 0,043 mg/l Daphnia magna                    |
| EC50 72h - Algae [1] | 0,0538 mg/l Pseudokirchneriella subcapitata |

### 12.2. Persistence and degradability

#### Supercut

|                               |                                                                             |
|-------------------------------|-----------------------------------------------------------------------------|
| Persistence and degradability | Not established. No data is available on the degradability of this product. |
|-------------------------------|-----------------------------------------------------------------------------|

### 12.3. Bioaccumulative potential

#### Supercut

|                                                 |                |
|-------------------------------------------------|----------------|
| Partition coefficient n-octanol/water (Log Kow) | Not applicable |
|-------------------------------------------------|----------------|

#### Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8)

|                                                 |         |
|-------------------------------------------------|---------|
| Partition coefficient n-octanol/water (Log Pow) | 3,9 – 6 |
|-------------------------------------------------|---------|

#### Polysulfides, di-tert-dodecyl (68425-15-0)

|                                                 |       |
|-------------------------------------------------|-------|
| Partition coefficient n-octanol/water (Log Pow) | 12,46 |
|-------------------------------------------------|-------|

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

|                                                 |        |
|-------------------------------------------------|--------|
| Partition coefficient n-octanol/water (Log Pow) | > 5,47 |
|-------------------------------------------------|--------|

#### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)

|                                                 |        |
|-------------------------------------------------|--------|
| Partition coefficient n-octanol/water (Log Pow) | > 4,46 |
|-------------------------------------------------|--------|

#### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified (64742-54-7)

|                                                 |         |
|-------------------------------------------------|---------|
| Partition coefficient n-octanol/water (Log Pow) | 3,9 – 6 |
|-------------------------------------------------|---------|

### 2,2'-(octadec-9-enylimino)bisethanol (25307-17-9)

|                                                 |     |
|-------------------------------------------------|-----|
| Partition coefficient n-octanol/water (Log Pow) | 6,6 |
|-------------------------------------------------|-----|

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Supercut

|                           |                                                                                                  |
|---------------------------|--------------------------------------------------------------------------------------------------|
| Results of PBT assessment | Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII |
|---------------------------|--------------------------------------------------------------------------------------------------|

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

### 12.7. Other adverse effects

#### Supercut

|                                   |                        |
|-----------------------------------|------------------------|
| Additional Regulatory Information | No other effects known |
|-----------------------------------|------------------------|

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
European List of Waste (LoW, EC 2000/532) : According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                     | IMDG           | IATA           | ADN            | RID            |
|-----------------------------------------|----------------|----------------|----------------|----------------|
| <b>14.1. UN number or ID number</b>     |                |                |                |                |
| Not regulated for transport             |                |                |                |                |
| <b>14.2. UN proper shipping name</b>    |                |                |                |                |
| Not regulated.                          | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| <b>14.3. Transport hazard class(es)</b> |                |                |                |                |
| Not regulated.                          | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| <b>14.4. Packing group</b>              |                |                |                |                |
| Not regulated.                          | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| <b>14.5. Environmental hazards</b>      |                |                |                |                |
| Not regulated.                          | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| No supplementary information available  |                |                |                |                |

#### 14.6. Special precautions for user

##### Overland transport

Not regulated.

##### Transport by sea

Not regulated.

##### Air transport

Not regulated.

##### Inland waterway transport

Not regulated.

##### Rail transport

Not regulated.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

### VOC Directive (2004/42)

VOC content : 0 g/l

### Seveso Directive (Disaster Risk Reduction)

Seveso Additional information : Directive 2012/18/EU (SEVESO III)  
Not subject to Annex I

### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Indication of changes |                                        |                              |
|-----------------------|----------------------------------------|------------------------------|
| Section               | Changed item                           | Comments                     |
| 3                     | Composition/information on ingredients | <b>Modified</b>              |
| 8.2                   | Hand protection                        | <b>Modified</b><br>Thickness |
| 15                    | Seveso Additional information          | <b>Added</b>                 |
| 16                    | Data sources                           | <b>Added</b>                 |

### Abbreviations and acronyms:

|      |                                                                                                 |
|------|-------------------------------------------------------------------------------------------------|
| ADN  | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR  | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE  | Acute Toxicity Estimate                                                                         |
| BCF  | Bioconcentration factor                                                                         |
| BLV  | Biological limit value                                                                          |
| BOD  | Biochemical oxygen demand (BOD)                                                                 |
| COD  | Chemical oxygen demand (COD)                                                                    |
| DMEL | Derived Minimal Effect level                                                                    |

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |                                                                              |
|-----------------------------|------------------------------------------------------------------------------|
| DNEL                        | Derived-No Effect Level                                                      |
| EC-No.                      | European Community number                                                    |
| EC50                        | Median effective concentration                                               |
| EN                          | European Standard                                                            |
| IARC                        | International Agency for Research on Cancer                                  |
| IATA                        | International Air Transport Association                                      |
| IMDG                        | International Maritime Dangerous Goods                                       |
| LC50                        | Median lethal concentration                                                  |
| LD50                        | Median lethal dose                                                           |
| LOAEL                       | Lowest Observed Adverse Effect Level                                         |
| NOAEC                       | No-Observed Adverse Effect Concentration                                     |
| NOAEL                       | No-Observed Adverse Effect Level                                             |
| NOEC                        | No-Observed Effect Concentration                                             |
| OECD                        | Organisation for Economic Co-operation and Development                       |
| OEL                         | Occupational Exposure Limit                                                  |
| PBT                         | Persistent Bioaccumulative Toxic                                             |
| PNEC                        | Predicted No-Effect Concentration                                            |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                         | Safety Data Sheet                                                            |
| STP                         | Sewage treatment plant                                                       |
| ThOD                        | Theoretical oxygen demand (ThOD)                                             |
| TLM                         | Median Tolerance Limit                                                       |
| VOC                         | Volatile Organic Compounds                                                   |
| CAS-No.                     | Chemical Abstract Service number                                             |
| N.O.S.                      | Not Otherwise Specified                                                      |
| vPvB                        | Very Persistent and Very Bioaccumulative                                     |
| ED                          | Endocrine disruptor                                                          |

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

| Full text of H- and EUH-statements: |                                                                   |
|-------------------------------------|-------------------------------------------------------------------|
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                                 |
| Aquatic Acute 1                     | Hazardous to the aquatic environment – Acute Hazard, Category 1   |
| Aquatic Chronic 1                   | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Asp. Tox. 1                         | Aspiration hazard, Category 1                                     |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1                     |
| Skin Corr. 1                        | Skin corrosion/irritation, Category 1                             |
| Skin Sens. 1                        | Skin sensitisation, Category 1                                    |

# Supercut

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

|               |                                                       |
|---------------|-------------------------------------------------------|
| Skin Sens. 1B | Skin sensitisation, category 1B                       |
| H302          | Harmful if swallowed.                                 |
| H304          | May be fatal if swallowed and enters airways.         |
| H314          | Causes severe skin burns and eye damage.              |
| H317          | May cause an allergic skin reaction.                  |
| H318          | Causes serious eye damage.                            |
| H400          | Very toxic to aquatic life.                           |
| H410          | Very toxic to aquatic life with long lasting effects. |

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|              |      |                    |
|--------------|------|--------------------|
| Skin Sens. 1 | H317 | Calculation method |
|--------------|------|--------------------|

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.