

Product information

87 02 250 T

KNIPEX Cobra®

Hightech Water Pump Pliers

DIN ISO 8976



- Push the button for adjustment on the workpiece
- Fine adjustment for optimum adaptation to different sizes of workpieces and a comfortable handle width
- Self-locking on pipes and nuts: no slipping on the workpiece and low handforce required
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Reliable catching of the hinge bolt: no unintentional shifting
- Pinch guard prevents operators' fingers being pinched
- Pliers with tether attachment point for mounting a fall protection
- Chrome vanadium electric steel, forged, multi stage oil-hardened

General

| | |
|-------------|---|
| Article No. | 87 02 250 T |
| EAN | 4003773080152 |
| Pliers | grey atramentized |
| Head | polished |
| Handles | with multi-component grips, with integrated tether attachment point for a tool tether |
| weight | 390 g |
| Dimensions | 250 x 60 x 18 mm |
| Standard | DIN ISO 8976 |

Technische Attribute

| | |
|---------------------------------|----------|
| Adjustment positions | 25 |
| Capacities for nuts | Ø 2 Inch |
| Capacities for nuts | 46 mm |
| Capacities for pipes (diameter) | Ø 50 mm |
| Drop Protection System | yes |

Classification

| | |
|----------------|------------|
| eCl@ss 5.1.4 | 21040301 |
| ETIM 5.0 | EC000164 |
| ETIM 6.0 | EC000164 |
| proficl@ss 6.0 | AAA936c004 |
| UNSPSC 13.1 | 27112112 |

technical change and errors excepted



