

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Recta-Mastic 135 SW Super White

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Consumer use, Professional use  
Use of the substance/mixture : Sealants

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Rectavit N.V. N.V.  
Ambachtenlaan 4  
9080 Lochristi  
Belgium  
T +32 9 216 85 20, F +32 9 216 85 30  
[msds@rectavit.be](mailto:msds@rectavit.be), [www.Rectavit.be](http://www.Rectavit.be)

#### 1.4. Emergency telephone number

| Country | Organisation/Company   | Address                      | Emergency number | Comment  |
|---------|--|------------------------------|------------------|--|
| Belgium | Centre Anti-Poisons/Antigifcentrum<br>c/o Hôpital Militaire Reine Astrid | Rue Bruyn 1<br>1120 Brussels | +32 70 245 245   | Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee) |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

The product does not meet the PBT and vPvB classification criteria

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# Recta-Mastic 135 SW Super White

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name  | Product identifier   | %         | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                     |
|---|--|-----------|---|
| bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium | CAS-No.: 83877-91-2<br>EC-No.: 281-161-6<br>REACH-no: 01-2119968551-31 | ≥ 1 – < 3 | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>STOT SE 3, H336<br>STOT SE 3, H335 |
| phosphoric acid, 2-ethylhexyl ester                               | CAS-No.: 12645-31-7<br>EC-No.: 234-741-0<br>REACH-no: 01-2119896587-13 | ≥ 1 – < 3 | Skin Corr. 1B, H314<br>Eye Dam. 1, H318   |

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures general            | : If you feel unwell, seek medical advice.  |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. Respiratory problems: consult a doctor/medical service.  |
| First-aid measures after skin contact | : Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.  |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist if irritation persists. |
| First-aid measures after ingestion    | : Rinse mouth out with water. Get medical advice/attention if you feel unwell.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : None known.                                    |

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

# Recta-Mastic 135 SW Super White

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry area. Store at room temperature. Store in a well-ventilated place. Keep container closed when not in use.

Maximum storage period : 1 year

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

# Recta-Mastic 135 SW Super White

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.4. DNEL and PNEC

| <b>phosphoric acid, 2-ethylhexyl ester (12645-31-7)</b>                               |                           |
|---|---------------------------|
| <b>DNEL/DMEL (Workers)</b>  |                           |
| Long-term - local effects, dermal   | 10,42 mg/kg bw/day        |
| Long-term - systemic effects, inhalation  | 36,73 mg/m <sup>3</sup>   |
| <b>DNEL/DMEL (General population)</b>   |                           |
| Long-term - systemic effects, oral  | 6,25 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation  | 10,87 mg/m <sup>3</sup>   |
| Long-term - systemic effects, dermal  | 6,25 mg/kg bodyweight/day |
| <b>PNEC (Water)</b>   |                           |
| PNEC aqua (freshwater)  | 0,049 mg/l                |
| PNEC aqua (marine water)  | 0,002 mg/l                |
| PNEC aqua (intermittent, freshwater)  | 0,49 mg/l                 |
| <b>PNEC (Sediment)</b>  |                           |
| PNEC sediment (freshwater)  | 0,35 mg/kg dwt            |
| <b>PNEC (Soil)</b>  |                           |
| PNEC soil   | 0,024 mg/kg dwt           |
| <b>PNEC (STP)</b>   |                           |
| PNEC sewage treatment plant   | 15 mg/l                   |
| <b>bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium (83877-91-2)</b> |                           |
| <b>DNEL/DMEL (Workers)</b>  |                           |
| Long-term - systemic effects, inhalation  | 254 mg/m <sup>3</sup>     |
| <b>DNEL/DMEL (General population)</b>   |                           |
| Long-term - systemic effects, oral  | 22 mg/kg bodyweight/day   |
| Long-term - systemic effects, inhalation  | 303 mg/m <sup>3</sup>     |
| Long-term - systemic effects, dermal  | 220 mg/kg bodyweight/day  |
| <b>PNEC (Water)</b>   |                           |
| PNEC aqua (freshwater)  | 0,1 mg/l                  |
| PNEC aqua (marine water)  | 0,01 mg/l                 |
| PNEC aqua (intermittent, freshwater)  | 1 mg/l                    |
| <b>PNEC (Sediment)</b>  |                           |
| PNEC sediment (freshwater)  | 0,0816 mg/kg dwt          |
| PNEC sediment (marine water)  | 0,0082 mg/kg dwt          |
| <b>PNEC (Soil)</b>  |                           |
| PNEC soil   | 0,019 mg/kg dwt           |
| <b>PNEC (STP)</b>   |                           |
| PNEC sewage treatment plant   | 28 mg/l                   |

### 8.1.5. Control banding

No additional information available

# Recta-Mastic 135 SW Super White

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

**Personal protective equipment symbol(s):**



##### 8.2.2.1. Eye and face protection

**Eye protection:**

Safety glasses

##### 8.2.2.2. Skin protection

**Skin and body protection:**

Wear suitable protective clothing

**Hand protection:**

Protective gloves

##### 8.2.2.3. Respiratory protection

**Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

##### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

**Environmental exposure controls:**

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                   |
|---|-------------------|
| Physical state                                  | : Liquid          |
| Colour  | : Variable.       |
| Appearance                                      | : Pasty.          |
| Odour   | : characteristic. |
| Odour threshold                                 | : Not available   |
| Melting point                                   | : Not applicable  |
| Freezing point                                  | : Not available   |
| Boiling point                                   | : Not available   |
| Flammability                                    | : Not applicable  |
| Lower explosion limit                           | : Not available   |
| Upper explosion limit                           | : Not available   |
| Flash point                                     | : > 100 °C        |
| Auto-ignition temperature                       | : Not available   |
| Decomposition temperature                       | : Not available   |
| pH  | : Not available   |
| Viscosity, kinematic                            | : Not available   |
| Solubility                                      | : Not available   |
| Partition coefficient n-octanol/water (Log Kow) | : Not available   |
| Vapour pressure                                 | : Not available   |
| Vapour pressure at 50°C                         | : Not available   |
| Density   | : 1,36 g/l        |

# Recta-Mastic 135 SW Super White

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative density : Not available  
Relative vapour density at 20°C : Not available  
Particle characteristics : Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : < 1 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### phosphoric acid, 2-ethylhexyl ester (12645-31-7)

|               |            |
|---------------|------------|
| LD50 oral rat | 4940 mg/kg |
|---------------|------------|

#### bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium (83877-91-2)

|               |  |
|---------------|--|
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD 423 (Acute Oral toxicity) |
|---------------|--|

|                       |                            |
|-----------------------|----------------------------|
| LC50 Inhalation - Rat | 18,18 mg/l air Animal: rat |
|-----------------------|----------------------------|

Skin corrosion/irritation : Not classified (Corrosivity: based upon skin corrosion test data, classification criteria are not met). (Corrosivity: based upon skin corrosion test data, classification criteria are not met)

#### phosphoric acid, 2-ethylhexyl ester (12645-31-7)

|    |   |
|----|---|
| pH | 2 |
|----|---|

Serious eye damage/irritation : Not classified (Serious eye damage/eye irritation Not classified; On basis of test data). (Serious eye damage/eye irritation Not classified. On basis of test data)

# Recta-Mastic 135 SW Super White

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### phosphoric acid, 2-ethylhexyl ester (12645-31-7)

|                                   |                   |
|-----------------------------------|-------------------|
| pH                                | 2                 |
| Respiratory or skin sensitisation | : Not classified  |
| Germ cell mutagenicity            | : Not classified  |
| Carcinogenicity                   | : Not classified. |
| Reproductive toxicity             | : Not classified  |
| STOT-single exposure              | : Not classified  |

### bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium (83877-91-2)

|                        |  |
|------------------------|--|
| STOT-single exposure   | May cause drowsiness or dizziness. May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified   |

### bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium (83877-91-2)

|  |   |
|--|---|
| NOAEC (inhalation, rat, vapour, 90 days) | 3,03 mg/l air Animal: rat, Animal sex: female |
| Aspiration hazard                        | : Not classified                              |

### phosphoric acid, 2-ethylhexyl ester (12645-31-7)

|                      |                            |
|----------------------|----------------------------|
| Viscosity, kinematic | 217,822 mm <sup>2</sup> /s |
|----------------------|----------------------------|

### bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium (83877-91-2)

|                      |                             |
|----------------------|-----------------------------|
| Viscosity, kinematic | ≈ 35,879 mm <sup>2</sup> /s |
|----------------------|-----------------------------|

## 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |   |
|---|---|
| Ecology - general   | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified.   |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified.   |
| Not rapidly degradable                                    |   |

### bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium (83877-91-2)

|                      |  |
|----------------------|--|
| LC50 - Fish [1]      | 1430 mg/l Test organisms (species): Pimephales promelas  |
| EC50 - Crustacea [1] | > 29 mg/l Test organisms (species): Daphnia magna  |
| EC50 72h - Algae [1] | > 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |

### 12.2. Persistence and degradability

### bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium (83877-91-2)

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Readily biodegradable. |
|-------------------------------|------------------------|

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

# Recta-Mastic 135 SW Super White

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.5. Results of PBT and vPvB assessment

#### Recta-Mastic 135 SW Super White

The product does not meet the PBT and vPvB classification criteria

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|   |  |
|---|--|
| Regional waste regulation                 | : Non hazardous waste.   |
| Waste treatment methods                   | : Dispose of contents/container in accordance with licensed collector's sorting instructions.                    |
| Sewage disposal recommendations           | : Disposal must be done according to official regulations.   |
| Ecological information                    | : Avoid release to the environment.  |
| European List of Waste (LoW, EC 2000/532) | : 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09<br>15 01 02 - plastic packaging |

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID /

| ADR                                     | IMDG          | IATA          | ADN           | RID           |
|---|---------------|---------------|---------------|---------------|
| <b>14.1. UN number or ID number</b>     |               |               |               |               |
| Not regulated for transport             |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.2. UN proper shipping name</b>    |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b> |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group</b>              |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>      |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available  |               |               |               |               |

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

# Recta-Mastic 135 SW Super White

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Inland waterway transport

Not regulated

### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) |   |   |
|--|---|---|
| Reference code                         | Applicable on   | Entry title or description  |
| 3(a)                                   | bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium                                       | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F          |
| 3(b)                                   | phosphoric acid, 2-ethylhexyl ester ; bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### VOC Directive (2004/42)

VOC content : < 1 %

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# Recta-Mastic 135 SW Super White

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 16: Other information

| Indication of changes |  |          |          |
|-----------------------|--|----------|----------|
| Section               | Changed item   | Change   | Comments |
|                       | according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 |          |          |
| 2.2                   |  | Modified |          |
| 3.2                   |  | Modified |          |

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways   |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road               |
| ATE                         | Acute Toxicity Estimate   |
| BLV                         | Biological limit value  |
| CAS-No.                     | Chemical Abstract Service number  |
| CLP                         | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                       |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC50                        | Median effective concentration  |
| EC-No.                      | European Community number   |
| EN                          | European Standard   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |
| NOEC                        | No-Observed Effect Concentration  |
| OEL                         | Occupational Exposure Limit   |
| PBT                         | Persistent Bioaccumulative Toxic  |
| PNEC                        | Predicted No-Effect Concentration   |
| REACH                       | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                      |
| SDS                         | Safety Data Sheet   |
| vPvB                        | Very Persistent and Very Bioaccumulative  |
| WGK                         | Water Hazard Class  |

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| EUH210                              | Safety data sheet available on request. |

# Recta-Mastic 135 SW Super White

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: |  |
|-------------------------------------|--|
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1                          |
| Flam. Liq. 3                        | Flammable liquids, Category 3  |
| H226                                | Flammable liquid and vapour.   |
| H314                                | Causes severe skin burns and eye damage.                               |
| H315                                | Causes skin irritation.  |
| H318                                | Causes serious eye damage.   |
| H335                                | May cause respiratory irritation.                                      |
| H336                                | May cause drowsiness or dizziness.                                     |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1, Sub-Category 1B                 |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                                  |
| STOT SE 3                           | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

Safety Data Sheet (SDS), EU-2023-1

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.